# JetBrains Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: GoLand 2025.1

Report Date: May 2025

**Product Description:** GoLand is an integrated development environment (IDE) developed by JetBrains for the Go programming language. It provides intelligent code assistance, refactoring, debugging, and testing capabilities tailored specifically for Go developers. GoLand also supports front-end and back-end technologies such as JavaScript, TypeScript, HTML, SQL, and Docker. The IDE integrates seamlessly with version control systems, containerized environments, and popular Go frameworks and tools. GoLand runs on Windows, macOS, and Linux and is built on the JetBrains IntelliJ Platform.

**Contact Information:** GoLand Support Team – goland-support@jetbrains.com

#### Notes:

<u>Platform scope:</u> This VPAT applies to GoLand 2025.1 running on Windows, macOS, and Linux. The evaluation also included remote development functionality.

<u>Assistive technology limitations:</u> Screen readers are supported on Windows (specifically NVDA and JAWS) and macOS (VoiceOver), but not on Linux or in Remote Development. GoLand does not support Windows Voice Access, but it supports macOS Voice Control for standard UI components.

<u>Third-party components:</u> This evaluation covers the IntelliJ platform and official JetBrains features. Third-party plugins or integrations were not evaluated unless explicitly stated.

EN 301 549 Clause 5.1 (Closed Functionality) was marked "Not Applicable" as GoLand is not a closed system — it allows interaction with external assistive technologies and does not restrict input/output modalities.

Clause 6 (Two-Way Voice Communication) applies only in the context of Code With Me, which was considered in the relevant sections.

WCAG Level AAA criteria were not evaluated.

GoLand includes a dedicated accessibility help page that provides guidance on configuring fonts, color themes, screen reader support, and known platform limitations: <a href="https://www.jetbrains.com/help/goland/accessibility.html">https://www.jetbrains.com/help/goland/accessibility.html</a>

**Evaluation Methods Used:** Accessibility evaluation for GoLand 2025.1 was conducted using a combination of manual and assistive technology-based testing. The evaluation covered the desktop application on Windows 11, macOS Sequoia, and Ubuntu 22.04.

#### The testing included:

- Keyboard-only navigation testing across dialogs, menus, tool windows, and editor UI
- Screen reader testing with:
  - NVDA and JAWS on Windows
  - VoiceOver on macOS
     Note: Screen readers are not supported on Linux or in Remote Development mode
- Zoom and font scaling testing, including line height and spacing controls
- High contrast and color deficiency testing using IDE themes and system settings
- Manual testing of specific UI features

Testing was performed by JetBrains QA and Software engineers with accessibility knowledge and experience using WCAG 2.1/2.2, Section 508, and EN 301 549 standards.

#### **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline  | Included In Report |
|---|--------------------|
| Web Content Accessibility Guidelines 2.0  | Level A (Yes)      |
|   | Level AA (Yes)     |
|   | Level AAA (No)     |
| Web Content Accessibility Guidelines 2.1  | Level A (Yes)      |
|   | Level AA (Yes)     |
|   | Level AAA (No)     |
| Web Content Accessibility Guidelines 2.2  | Level A (Yes)      |
|   | Level AA (Yes)     |
|   | Level AAA (No)     |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018   | (Yes)              |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | (Yes)              |

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

#### WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
  - o Clause 9 Web
  - o Clauses 10.1-10.4 of Clause 10 Non-Web documents
  - o Clauses 11.1-11.4 and 11.8.2 of Clause 11 Software
  - o Clauses 12.1.2 and 12.2.4 of Clause 12 Documentation and support services
- Revised Section 508:
  - o Chapter 5 501.1 Scope and 504.2 Content Creation or Editing
  - o Chapter 6 602.3 Electronic Support Documentation

**Table 1: Success Criteria, Level A** 

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 1.1.1 Non-text Content (Level A)                                     | Supports           | Icons and controls have accessible names.   |
| 1.2.1 Audio-only and Video-only (Prerecorded) (Level A)              | Not Applicable     | GoLand does not contain any prerecorded audio-only or video-only content in the product interface.  |
| 1.2.2 Captions (Prerecorded) (Level A)                               | Not Applicable     | GoLand does not include prerecorded videos with audio content in the product interface.   |
| 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) | Not Applicable     | GoLand does not include prerecorded multimedia content requiring audio description or a media alternative.  |
| 1.3.1 Info and Relationships (Level A)                               | Partially Supports | Most UI components expose correct programmatic relationships.  However, screen readers are not supported on Linux and in Remote Development mode.   |
| 1.3.2 Meaningful Sequence (Level A)                                  | Partially Supports | Focus order and screen reader output follow a meaningful sequence in most views. However, screen readers are not supported on Linux and in Remote Development mode.   |
| 1.3.3 Sensory Characteristics (Level A)                              | Partially Supports | GoLand generally avoids relying on sensory characteristics alone. However, screen readers are not supported on Linux and in Remote Development mode. In addition, the information in the editor, such as errors, warnings, breakpoints and VCS status are not conveyed to screen readers. Please refer to <a href="https://youtrack.jetbrains.com/issue/JJPL-58540/Screen-reader-Error-highlighting-in-Editor">https://youtrack.jetbrains.com/issue/JJPL-58540/Screen-reader-Error-highlighting-in-Editor</a> for more information. |
| 1.4.1 Use of Color (Level A)   | Partially Supports | GoLand includes support for red-green vision deficiency to improve usability for colorblind users.  The product uses color to convey validation states, errors, and editor highlights. Some states (e.g., error underlines in the editor) rely solely on color and are not exposed to screen readers.   |
| 1.4.2 Audio Control (Level A)  | Not Applicable     | GoLand does not play audio automatically.   |

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 2.1.1 Keyboard (Level A)                         | Partially Supports | GoLand supports extensive keyboard navigation across its interface. However, some components may present focus or |
|  |                    | traversal issues.   |
| 2.1.2 No Keyboard Trap (Level A)                 | Partially Supports | Most of GoLand's UI components support full keyboard traversal.   |
|  |                    | However, some panels and dialogs may present keyboard traps or  |
|  |                    | unclear escape mechanisms.  |
| 2.1.4 Character Key Shortcuts (Level A 2.1 and   | Supports           | GoLand does not assign any actions to single printable character  |
| 2.2)   |                    | keys without modifiers. Keyboard shortcuts are fully customizable,  |
|  |                    | ensuring accessibility and preventing accidental activation.  |
| 2.2.1 Timing Adjustable (Level A)                | Not Applicable     | GoLand does not include time-limited content or session-based   |
|  |                    | functionality that would require adjustment or extension.   |
| 2.2.2 Pause, Stop, Hide (Level A)                | Supports           | GoLand includes live-updating panels (e.g., run console, terminal),   |
|  |                    | which can be paused or hidden. The interface does not include   |
|  |                    | motion or animation that cannot be stopped or hidden.   |
| 2.3.1 Three Flashes or Below Threshold (Level    | Supports           | GoLand doesn't contain content that flashes more than three   |
| A)   |                    | times in any one second period.   |
| 2.4.1 Bypass Blocks (Level A)                    | Supports           | GoLand provides keyboard shortcuts and logical focus  |
|  |                    | management, allowing users to skip non-essential UI panels and  |
|  |                    | reach core functionality such as the code editor and tool windows.  |
| 2.4.2 Page Titled (Level A)                      | Supports           | GoLand provides descriptive titles for windows, dialogs, and  |
|  |                    | editors, which are exposed to assistive technologies and shown in   |
|  |                    | the OS window bar.  |
| 2.4.3 Focus Order (Level A)                      | Supports           | GoLand generally maintains a logical and consistent keyboard  |
|  |                    | focus order.  |
| 2.4.4 Link Purpose (In Context) (Level A)        | Supports           | GoLand uses descriptive link text in settings, dialogs, and   |
|  |                    | notifications. The link purpose is clear from the text or surrounding   |
|  |                    | context, ensuring usability for screen reader navigation.   |
| 2.5.1 Pointer Gestures (Level A 2.1 and 2.2)     | Not Applicable     | GoLand does not rely on gesture-based input. All interactions are   |
|  |                    | accessible using standard pointer or keyboard input.  |
| 2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) | Supports           | GoLand triggers pointer-based actions on mouse release (mouse   |
|  |                    | up) rather than press (mouse down). The UI supports cancellation  |
|  |                    | or retraction of actions prior to completion.   |

| Criteria                                     | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 2.5.3 Label in Name (Level A 2.1 and 2.2)    | Partially Supports | GoLand includes accessible names for most controls that match their visible labels. Screen readers are not supported on Linux and in Remote Development mode.   |
| 2.5.4 Motion Actuation (Level A 2.1 and 2.2) | Not Applicable     | GoLand does not use motion input. All interactions are controlled via standard input methods (keyboard and mouse).  |
| 3.1.1 Language of Page (Level A)             | Partially Supports | GoLand supports CJK and English as UI languages. Supported screen readers interpret the language correctly on Windows and macOS. Screen readers are not supported on Linux and in Remote Development mode.  |
| 3.2.1 On Focus (Level A)                     | Partially Supports | In most cases, IGoLand does not change context when UI components receive focus. Suggestions or tooltips may appear, but they do not disrupt navigation or trigger focus changes.   |
| 3.2.2 On Input (Level A)                     | Supports           | GoLand does not initiate context changes on user input. Changes are only applied through explicit actions like pressing Enter or clicking Apply/OK.   |
| 3.2.6 Consistent Help (Level A 2.2 only)     | Supports           | GoLand provides a consistently placed Help button in dialogs and a dedicated Help section in the main menu.   |
| 3.3.1 Error Identification (Level A)         | Partially Supports | GoLand displays visual cues for input errors in forms and dialogs, but error messages are not reliably exposed to screen readers.  Editor-level validation is not conveyed to assistive technologies.  Please refer to <a href="https://youtrack.jetbrains.com/issue/IJPL-58546/Screen-readers-do-not-read-popup-error-messages-when-they-occur">https://youtrack.jetbrains.com/issue/IJPL-58546/Screen-reader-Error-highlighting-in-Editor</a> |
| 3.3.2 Labels or Instructions (Level A)       | Partially Supports | GoLand provides visible labels and contextual tooltips for most inputs. Screen readers are unsupported on Linux and in Remote Development mode.   |
| 3.3.7 Redundant Entry (Level A 2.2 only)     | Supports           | GoLand reduces redundant input by remembering previously entered values in components like Search Everywhere and Find in Files.   |
| 4.1.1 Parsing (Level A)                      | Not Applicable     | GoLand is a desktop application and does not use markup languages like HTML. This criterion is not applicable.  |

| Criteria                          | Conformance Level  | Remarks and Explanations                                   |
|-----------------------------------|--------------------|--|
| 4.1.2 Name, Role, Value (Level A) | Partially Supports | GoLand exposes name, role, and value for most standard UI  |
|                                   |                    | components. Screen readers are unsupported on Linux and in |
|                                   |                    | Remote Development mode.                                   |

Table 2: Success Criteria, Level AA

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 1.2.4 Captions (Live) (Level AA)                 | Not Applicable     | GoLand does not include live audio or streaming media that would require captioning.  |
| 1.2.5 Audio Description (Prerecorded) (Level AA) | Not Applicable     | GoLand does not include prerecorded multimedia requiring audio description.   |
| 1.3.4 Orientation (Level AA)                     | Supports           | GoLand does not restrict or depend on a fixed screen orientation.  The interface functions as expected when the system display is rotated.  |
| 1.3.5 Identify Input Purpose (Level AA)          | Partially Supports | GoLand identifies input purposes supported by assistive technologies on desktop platforms, such as password fields. Most other fields do not expose programmatic input purpose metadata.  |
| 1.4.3 Contrast (Minimum) (Level AA)              | Partially Supports | GoLand meets the minimum contrast for most UI elements in standard themes. However, some low-contrast UI elements may fall below 4.5:1, particularly for secondary or disabled text. A high-contrast mode is available to improve visibility. |
| 1.4.4 Resize Text (Level AA)                     | Supports           | GoLand allows users to resize text using built-in zoom controls and system-level scaling. Resizing does not result in content loss or loss of functionality in supported environments.  |
| 1.4.5 Images of Text (Level AA)                  | Supports           | GoLand uses text-based rendering for UI content. Images of text are limited to decorative or branding purposes (e.g., logos) and do not convey essential information.   |

| Criteria  | Conformance Level  | Remarks and Explanations   |
|---|--------------------|--|
| 1.4.10 Reflow (Level AA 2.1 and 2.2)                    | Does Not Support   | GoLand does not implement reflow. Horizontal scrolling is required in many UI areas, and the layout may not adapt at 400% zoom or small screen widths.   |
| 1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)         | Partially Supports | GoLand provides sufficient contrast for many non-text elements.  However, some icons, focus indicators, and controls do not meet  3:1 contrast in default themes. A High Contrast theme is available to improve accessibility. |
| 1.4.12 Text Spacing (Level AA 2.1 and 2.2)              | Partially Supports | GoLand supports user customization of font size and line height in the editor, console, and other panels. Changing letter spacing is currently supported only for Terminal.  |
| 1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2) | Partially Supports | GoLand displays hover and focus content (tooltips, documentation popups, suggestions) in a stable and interactive manner. Content remains visible, is hoverable in most cases, and can be dismissed without moving focus.      |
| 2.4.5 Multiple Ways (Level AA)                          | Supports           | GoLand offers multiple methods to access key screens and tools, including keyboard shortcuts, menu navigation, context actions, and search functionality.  |
| 2.4.6 Headings and Labels (Level AA)                    | Supports           | GoLand uses clear, descriptive labels and headings throughout dialogs and interface panels.  |
| 2.4.7 Focus Visible (Level AA)                          | Partially Supports | GoLand displays visible focus indicators for most of the keyboard-navigable components.  |
| 2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) | Partially Supports | GoLand scrolls keyboard focus targets into view in most cases (e.g., Editor and trees). However, in some cases, like Settings panels, the auto-scroll is not supported.  |
| 2.5.7 Dragging Movements (Level AA 2.2 only)            | Supports           | GoLand supports drag-and-drop interactions but provides keyboard and menu alternatives for all functions, including moving files, rearranging windows, and reorganizing tabs.  |
| 2.5.8 Target Size (Minimum) (Level AA 2.2 only)         | Supports           | Most GoLand controls meet or exceed the 24×24 pixel minimum target size. Some smaller components (e.g., links, gutter icons) may be smaller, but can be enlarged using IDE zoom.   |
| 3.1.2 Language of Parts (Level AA)                      | Not Applicable     | GoLand does not present mixed-language UI content that would require language tagging. The interface is displayed in the user's  |

| Criteria  | Conformance Level  | Remarks and Explanations   |
|---|--------------------|--|
|   |                    | selected language, and localized content is not switched dynamically at runtime.   |
| 3.2.3 Consistent Navigation (Level AA)                        | Supports           | GoLand uses consistent navigation structures, labels, and layouts across projects and UI contexts. Menus, tool windows, and shortcuts maintain predictable behavior.   |
| 3.2.4 Consistent Identification (Level AA)                    | Partially Supports | GoLand consistently uses the same labels, icons, and tooltips for components with identical functionality across most of the UI contexts.  |
| 3.3.3 Error Suggestion (Level AA)                             | Partially Supports | GoLand provides visual error suggestions in some input fields, but they are not exposed to screen readers  |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)    | Supports           | GoLand prompts users to confirm critical actions and allows review or cancellation before changes are applied. The product does not handle legal or financial transactions.  |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) | Supports           | GoLand provides accessible authentication options such as OAuth, device login, and token-based methods. No cognitive tests or CAPTCHA are used.  |
| 4.1.3 Status Messages (Level AA 2.1 and 2.2)                  | Partially Supports | GoLand announces foreground balloon notifications via screen readers on supported platforms. However, background process completions (e.g., indexing finished, background tasks) are not reliably announced to assistive technologies. |

#### **Table 3: Success Criteria, Level AAA**

Notes: Level AAA criteria are not included in this evaluation, per JetBrains' accessibility policy and the VPAT 2.5Rev INT guidance. All entries in Table 3 are marked as "Not Evaluated."

# **Revised Section 508 Report**

# **Chapter 3: Functional Performance Criteria** (FPC)

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 302.1 Without Vision   | Partially Supports | GoLand supports screen reader access and keyboard navigation on Windows and macOS. However, screen readers are not supported on Linux or in Remote Development mode.  |
| 302.2 With Limited Vision                                      | Supports           | GoLand supports large fonts, high contrast themes, and UI scaling.  |
| 302.3 Without Perception of Color                              | Supports           | GoLand includes red-green color vision deficiency support that adjusts color palettes and uses non-color indicators (e.g., line thickness) to communicate meaning. The UI avoids relying on color alone.  |
| 302.4 Without Hearing  | Supports           | GoLand does not rely on audio. Optional sound cues are always paired with visual messages or UI feedback. The product is fully operable without hearing.  |
| 302.5 With Limited Hearing                                     | Not Applicable     | GoLand does not provide audio or spoken content. No sound output is used for instructions or feedback.  |
| 302.6 Without Speech   | Supports           | GoLand does not require or rely on speech input. All features can be accessed via keyboard and mouse.   |
| 302.7 With Limited Manipulation                                | Supports           | GoLand supports complete keyboard navigation and avoids reliance on precise mouse input. Drag-and-drop operations have accessible alternatives.   |
| 302.8 With Limited Reach and Strength                          | Supports           | GoLand supports keyboard-only workflows and customizable shortcuts, minimizing physical effort. The UI does not require extended reach or sustained input actions.  |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | GoLand provides consistent navigation, search-based actions, and support for distraction-reducing modes such as Zen and Distraction Free Mode. Users can adjust font size and line spacing to improve readability. GoLand also allows users to set custom fonts for both the UI and code editor, including dyslexia-friendly fonts. However, the interface remains complex and text-heavy, and it does not include plain language options or dyslexia-specific presets. |

# **Chapter 4: <u>Hardware</u>**

Notes: Chapter 4 is **not applicable** to GoLand, as it is a desktop software application and does not include or require any physical hardware interfaces.

# **Chapter 5: Software**

| Criteria  | Conformance Level                       | Remarks and Explanations  |
|---|---|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA      | Please refer to <u>WCAG 2.x</u> section | Please refer to information in WCAG 2.x section   |
| 502 Interoperability with Assistive Technology  | Heading cell – no response required     | Heading cell – no response required   |
| 502.2.1 User Control of Accessibility Features  | Not Applicable                          | GoLand is not platform software and does not control or expose OS-level accessibility features.   |
| 502.2.2 No Disruption of Accessibility Features | Partially Supports                      | GoLand supports assistive technologies on Windows and macOS, but screen reader support is not available on Linux or in Remote Development mode. The product does not block or override system accessibility features.             |
| 502.3 Accessibility Services                    | Heading cell – no response required     | Heading cell – no response required   |
| 502.3.1 Object Information                      | Partially Supports                      | GoLand exposes name, role, and state for most standard UI components. Screen reader support is unavailable on Linux and in Remote Development mode.   |
| 502.3.2 Modification of Object Information      | Partially Supports                      | GoLand updates accessibility metadata for many standard UI components. However, some dynamic content changes are not reliably communicated to assistive technologies. This includes validation updates and editor-level messages. |
| 502.3.3 Row, Column, and Headers                | Partially Supports                      | GoLand exposes row and column headers for most tables.  Database tables are not fully supported at the moment (please   |

| refer to <a href="https://youtrack.jetbrains.com/issue/IJPL-58435/Screen-readers-dont-read-column-headers-in-database-table-editor">https://youtrack.jetbrains.com/issue/IJPL-58435/Screen-readers-dont-read-column-headers-in-database-table-editor</a> ). Screen |
|--|
|  |
| dont-read-column-headers-in-database-table-editor). Screen   |
|  |
| reader support is not available on Linux or in Remote  |
| Development mode.  |
| GoLand exposes values for standard components (e.g., inputs,   |
| orts selections) via accessibility APIs. Screen reader support is  |
| unavailable on Linux and in Remote Development mode.   |
| GoLand allows users to modify values in standard input fields and  |
| orts controls using accessibility APIs on supported platforms. Screen  |
| reader input is not available on Linux or in Remote Development  |
| mode.  |
| GoLand associates labels with most standard form fields using  |
| orts accessibility APIs. Screen reader support is unavailable on Linux   |
| and in Remote Development mode.  |
| GoLand exposes parent-child relationships in standard tree   |
| components (e.g., Project view, Structure). Grouped items such as  |
| orts form sections and nested configurations are visually structured   |
| and announced correctly in many cases. Screen reader support is  |
| unavailable on Linux and in Remote Development mode.   |
| GoLand exposes most visible text content to assistive  |
| technologies on supported platforms. Some dynamic messages may not be accessible. Screen reader support is unavailable on  |
| orts Linux and in Remote Development mode. Please refer to   |
| https://youtrack.jetbrains.com/issue/IJPL-58546/Screen-readers-  |
| do-not-read-popup-error-messages-when-they-occur   |
| GoLand notifies assistive technologies of many object state  |
| orts changes using accessibility APIs. Screen reader support is  |
| unavailable on Linux and in Remote Development mode.   |
| GoLand exposes available actions for most standard UI elements,  |
| orts including menus and command groups. Screen reader support is  |
| unavailable on Linux and in Remote Development mode.   |
|  |

| Criteria   | Conformance Level                   | Remarks and Explanations   |
|--|-------------------------------------|--|
| 502.3.11 Actions on Objects                            | Partially Supports                  | GoLand exposes actions through platform APIs, and screen readers can trigger standard UI actions such as button clicks. macOS Voice Control is supported, though some inconsistent behavior may remain. Voice Access on Windows is not supported.  |
| 502.3.12 Focus Cursor                                  | Partially Supports                  | GoLand exposes keyboard focus to assistive technologies on supported platforms. Screen reader support is unavailable on Linux and in Remote Development mode.  |
| 502.3.13 Modification of Focus Cursor                  | Partially Supports                  | GoLand supports programmatic focus movement by assistive technologies such as screen readers. Screen readers are not supported on Linux or in Remote Development mode.   |
| 502.3.14 Event Notification                            | Partially Supports                  | GoLand notifies assistive technologies of many UI events, including dialog and popups openings and control state changes (e.g., enabled/disabled). However, background process completions (e.g., indexing finished, background tasks) are not reliably announced to assistive technologies. Screen reader support is unavailable on Linux and in Remote Development mode. |
| 502.4 Platform Accessibility Features                  | Not Applicable                      | GoLand is not a platform software. It does not expose or control platform-level accessibility features or configurations.  |
| 503 Applications                                       | Heading cell – no response required | Heading cell – no response required  |
| 503.2 User Preferences                                 | Supports                            | GoLand allows users to configure and persist font size, color schemes, and high contrast mode. These preferences are retained across sessions and customizable through the product interface.  |
| 503.3 Alternative User Interfaces                      | Not Applicable                      | GoLand 2025.1 does not provide an alternative user interface.  |
| 503.4 User Controls for Captions and Audio Description | Heading cell – no response required | Heading cell – no response required  |
| 503.4.1 Caption Controls                               | Not Applicable                      | GoLand does not include any embedded audio or video playback functionality and does not require caption controls.  |
| 503.4.2 Audio Description Controls                     | Not Applicable                      | GoLand does not include multimedia playback or visual content that would require audio description controls.   |
| 504 Authoring Tools                                    | Heading cell – no response required | Heading cell – no response required  |

| Criteria  | Conformance Level  | Remarks and Explanations   |
|---|--------------------|--|
| 504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")   | Partially Supports | GoLand allows users to edit source code and other structured content, but does not include built-in accessibility authoring tools or validation for accessible output.       |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable     | GoLand performs limited content transformations (e.g., Markdown to HTML/PDF), but does not handle or preserve accessibility metadata in those outputs.                       |
| 504.2.2 PDF Export  | Does Not Support   | GoLand provides Markdown to HTML/PDF export, but the resulting PDFs do not include accessibility metadata such as tags, structure, or alternative text.                      |
| 504.3 Prompts   | Does Not Support   | GoLand allows users to create HTML and Markdown content, but does not prompt users to include accessibility information such as alt text, ARIA roles, or heading structures. |
| 504.4 Templates   | Does Not Support   | GoLand provides templates for code and markup, but these do not include accessibility-supporting elements or prompts by default.   |

# **Chapter 6: Support Documentation and Services**

| Criteria   | Conformance Level                   | Remarks and Explanations  |
|--|-------------------------------------|---|
| 601.1 Scope  | Heading cell – no response required | Heading cell – no response required   |
| 602 Support Documentation  | Heading cell – no response required | Heading cell – no response required   |
| 602.2 Accessibility and Compatibility Features                   | Supports                            | GoLand provides a dedicated accessibility help page: <a href="https://www.jetbrains.com/help/goland/accessibility.html">https://www.jetbrains.com/help/goland/accessibility.html</a>                                    |
| 602.3 Electronic Support Documentation                           | Partially Supports                  | GoLand support documentation is available online in HTML format and is keyboard-navigable. However, the help portal does not formally claim WCAG conformance, and some content may not meet all accessibility criteria. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable                      | GoLand documentation is fully web-based. No non-electronic documentation is provided.   |

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 603 Support Services  | Heading cell – no response required | Heading cell – no response required   |
| 603.2 Information on Accessibility and Compatibility Features | Supports                            | JetBrains support staff can provide accessibility and compatibility information upon request. Accessibility-related tickets are routed internally to a designated manager through general support channels (e.g., Zendesk or YouTrack).               |
| 603.3 Accommodation of Communication<br>Needs                 | Supports                            | JetBrains support is provided via accessible written channels, including email and web forms. No voice or speech interaction is required, making support accessible to users with speech or hearing disabilities without the need for relay services. |

# **EN 301 549 Report**

# **Clause 4: Functional Performance Statements (FPS)**

| Criteria  | Conformance Level  | Remarks and Explanations   |
|---|--------------------|--|
| 4.2.1 Usage without vision                        | Partially Supports | Please refer to section 508 criterion 302.1 – GoLand supports screen reader access on Windows and macOS, but not on Linux or in Remote Development mode.   |
| 4.2.2 Usage with limited vision                   | Supports           | Please refer to section 508 criterion 302.2 – GoLand supports large fonts, high contrast themes, and UI scaling.   |
| 4.2.3 Usage without perception of colour          | Supports           | Please refer to section 508 criterion 302.3 – GoLand includes red-green vision deficiency support that adjusts colors and uses non-color indicators (e.g., line thickness) to convey meaning. The interface avoids relying on color alone. |
| 4.2.4 Usage without hearing                       | Supports           | Please refer to section 508 criterion 302.4 – GoLand does not rely on sound to convey any functional information.  |
| 4.2.5 Usage with limited hearing                  | Not Applicable     | Please refer to section 508 criterion 302.5 – GoLand does not include audio or speech-based output. Hearing limitations do not impact usability.   |
| 4.2.6 Usage with no or limited vocal capability   | Supports           | Please refer to section 508 criterion 302.6 – GoLand does not require voice or speech input. All interactions can be performed using keyboard and mouse.   |
| 4.2.7 Usage with limited manipulation or strength | Supports           | Please refer to section 508 criterion 302.7 – GoLand supports complete keyboard navigation and avoids reliance on precise mouse input. Drag-and-drop operations have accessible alternatives.  |
| 4.2.8 Usage with limited reach                    | Supports           | Please refer to section 508 criterion 302.8 – GoLand supports keyboard-only workflows and customizable shortcuts, minimizing physical effort. The UI does not require extended reach or sustained input actions.                           |

| 4.2.9 Minimize photosensitive seizure triggers            | Supports           | GoLand does not include flashing content, animations, or visual effects that could trigger photosensitive seizures.  |
|---|--------------------|--|
| 4.2.10 Usage with limited cognition, language or learning | Partially Supports | Please refer to section 508 criterion 302.9 – GoLand provides consistent navigation, search-based actions, and support for distraction-reducing modes such as Zen and Distraction-Free Mode. Users can adjust font size, spacing, and layout to improve readability. However, the interface remains complex and text-heavy, and it does not include plain language options or dyslexia-specific presets. |
| 4.2.11 Privacy  | Supports           | GoLand supports private interaction using keyboard and assistive technologies. The product does not rely on public output channels or restrict private data entry or access.   |

# **Clause 5: Generic Requirements**

Notes: GoLand is not closed functionality. It runs on standard operating systems and supports assistive technologies provided by the platform. Therefore, EN 301 549 Clause 5.1 (Closed Functionality) is **Not Applicable.** 

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 5.2 Activation of accessibility features                        | Supports                            | Accessibility features in GoLand, including screen reader support, red-green color deficiency mode, high-contrast theme, and zoom settings, can be enabled through the Settings. These options are persistent and do not require fine motor control to configure.   |
| 5.3 Biometrics  | Not Applicable                      | GoLand does not support biometric authentication.   |
| 5.4 Preservation of accessibility information during conversion | Not Applicable                      | GoLand performs limited format conversion (e.g., Markdown to HTML/PDF), but does not support or require preservation of accessibility metadata. Accessibility information is not present in the converted output.   |
| 5.5 Operable parts  | Heading cell – no response required | Heading cell – no response required   |
| 5.5.1 Means of operation  | Not Applicable                      | GoLand is software-only and does not include any physical operable parts.   |
| 5.5.2 Operable parts discernibility                             | Not Applicable                      | GoLand is software-only and does not include any physical operable parts.   |
| 5.6 Locking or toggle controls                                  | Heading cell – no response required | Heading cell – no response required   |
| 5.6.1 Tactile or auditory status                                | Not Applicable                      | GoLand does not contain hardware toggles. UI toggle states are presented visually and do not involve tactile or auditory mechanisms.  |
| 5.6.2 Visual status   | Not Applicable                      | GoLand does not include physical locking or toggle hardware controls.   |
| 5.7 Key repeat  | Supports                            | GoLand does not rely on key repeat behavior for essential functions. The application respects OS-level input settings and supports all tasks via discrete key commands. However, some features (e.g., Search Everywhere, Run Anything) are triggered by double-pressing modifier keys. These behaviors can be remapped to standard shortcuts. |

| Criteria                         | Conformance Level | Remarks and Explanations  |
|----------------------------------|-------------------|---|
| 5.8 Double-strike key acceptance | Not Applicable    | GoLand is software and does not include or control a physical keyboard.   |
| 5.9 Simultaneous user actions    | Supports          | GoLand provides keyboard shortcuts that involve simultaneous keypresses, but all functionality is also accessible via menus or sequential commands. Users can customize shortcuts to avoid multi-key input. |

# **Clause <u>6: ICT with Two-Way Voice Communication</u>**

Notes: Clause 6 is not applicable to GoLand alone, but does apply when evaluating GoLand in Code With Me mode.

| Criteria   | Conformance Level                   | Remarks and Explanations   |
|--|-------------------------------------|--|
| 6.1 Audio bandwidth for speech                                   | Supports                            | Code With Me provides VoIP-quality audio chat with sufficient clarity for spoken communication.                            |
| 6.2 Real-time text (RTT) functionality                           | Heading cell – no response required | Heading cell – no response required  |
| 6.2.1.1 RTT communication  | Not Applicable                      | Code With Me does not provide RTT or character-by-character text communication.  |
| 6.2.1.2 Concurrent voice and text                                | Not Applicable                      | Code With Me provides voice and message-based text chat, but does not implement real-time text (RTT).                      |
| 6.2.2.1 Visually distinguishable display                         | Not Applicable                      | Code With Me does not implement RTT. Text chat uses discrete message exchange, not character-by-character display.         |
| 6.2.2.2 Programmatically determinable send and receive direction | Not Applicable                      | Code With Me does not implement RTT or directional communication metadata for text.  |
| 6.2.2.3 Speaker identification                                   | Not Applicable                      | Code With Me does not provide RTT. Text messages include sender names but do not support character-level RTT interactions. |
| 6.2.2.4 Visual indicator of Audio with RTT                       | Not Applicable                      | Code With Me does not support RTT. Visual indicators of audio are present for voice chat only.                             |
| 6.2.3 Interoperability   | Not Applicable                      | Code With Me does not support RTT protocols and is not interoperable with RTT systems.                                     |

| 6.2.4 RTT responsiveness  | Not Applicable                      | Code With Me does not support real-time character-by-character text transmission.                           |
|---|-------------------------------------|---|
| 6.3 Caller ID   | Not Applicable                      | Code With Me does not provide phone-based communication or caller ID functionality.                         |
| 6.4 Alternatives to voice-based services                              | Supports                            | Code With Me supports text chat in addition to voice, providing an alternative to audio-only communication. |
| 6.5 Video communication   | Heading cell – no response required | Heading cell – no response required   |
| 6.5.1 General (informative)   | Heading cell – no response required | Heading cell – no response required   |
| 6.5.2 Resolution  | Not Applicable                      | Code With Me does not include video communication.  |
| 6.5.3 Frame rate  | Not Applicable                      | Code With Me does not support or transmit video.  |
| 6.5.4 Synchronization between audio and video                         | Not Applicable                      | Code With Me does not include audio/video synchronization features or video playback.                       |
| 6.5.5 Visual indicator of audio with video                            | Not Applicable                      | Code With Me does not provide video. Audio communication is voice-only without visual indicators.           |
| 6.5.6 Speaker identification with video (sign language) communication | Not Applicable                      | Code With Me does not support video communication or sign language interfaces.                              |
| 6.6 Alternatives to video-based services (advisory only)              | Advisory – no response required     | Advisory – no response required   |

# **Clause 7: ICT with Video Capabilities**

Notes: GoLand does not include video or multimedia playback.

#### Clause 8: Hardware

Notes: GoLand is a software-only product and does not include closed hardware components.

#### Clause 9: Web (Please refer to WCAG 2.x section)

Notes: GoLand does not function as a web-based application or generate standalone web UIs. Embedded web content is rendered inside the desktop IDE environment, and all interaction occurs through the native accessibility stack.

#### **Clause 10: Non-Web Documents**

Notes: GoLand documentation is provided online via HTML-based help portals. It does not distribute standalone non-web documents as user documentation.

| Criteria                      | Conformance Level                   | Remarks and Explanations                        |
|-------------------------------|-------------------------------------|---|
| 10.0 General (informative)    | Heading cell – no response required | Heading cell – no response required             |
| 10.1.1.1 through 10.4.1.3     | Please refer to WCAG 2.x section    | Please refer to information in WCAG 2.x section |
| 10.5 Caption positioning      | Not Applicable                      |   |
| 10.6 Audio description timing | Not Applicable                      |   |

#### Clause 11: Software

Notes:

| Criteria  | Conformance Level                          | Remarks and Explanations                                  |
|---|--|---|
| 11.0 General (informative)  | Heading cell – no response required        | Heading cell – no response required                       |
| 11.1.1.1 through 11.4.1.3   | Please refer to WCAG 2.x section           | Please refer to information in WCAG 2.x section           |
| 11.5 Interoperability with assistive technology   | Heading cell – no response required        | Heading cell – no response required                       |
| 11.5.1 Closed functionality   | Heading cell – no response required        | Heading cell – no response required                       |
| 11.5.2 Accessibility services   | Heading cell – no response required        | Heading cell – no response required                       |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | Please refer to 11.5.2.5 through 11.5.2.17 | Please refer to information in 11.5.2.5 through 11.5.2.17 |

| Criteria   | Conformance Level   | Remarks and Explanations   |
|--|---|--|
| 11.5.2.2 Platform accessibility service support for assistive technologies | Please refer to 11.5.2.5 through 11.5.2.17                | Please refer to information in 11.5.2.5 through 11.5.2.17  |
| 11.5.2.3 Use of accessibility services                                     | Please refer to information in 11.5.2.5 through 11.5.2.17 | Please refer to information in 11.5.2.5 through 11.5.2.17  |
| 11.5.2.4 Assistive technology  | Partially Supports  | GoLand interoperates with assistive technologies via platform accessibility APIs on Windows and macOS. Screen reader support is unavailable on Linux and in Remote Development mode.   |
| 11.5.2.5 Object information  | Partially Supports  | GoLand exposes name, role, and state for most standard UI components. Screen reader support is unavailable on Linux and in Remote Development mode.  |
| 11.5.2.6 Row, column, and headers  | Partially Supports  | GoLand exposes row and column headers for most tables.  Database tables are not fully supported at the moment (please refer to https://youtrack.jetbrains.com/issue/IJPL-58435/Screen-readers-dont-read-column-headers-in-database-table-editor). Screen reader support is not available on Linux or in Remote Development mode. |
| 11.5.2.7 Values  | Partially Supports  | GoLand exposes values for standard components (e.g., inputs, selections) via accessibility APIs. Screen reader support is unavailable on Linux and in Remote Development mode.   |
| 11.5.2.8 Label relationships   | Partially Supports  | GoLand associates labels with most standard form fields using accessibility APIs. Screen reader support is unavailable on Linux and in Remote Development mode.  |
| 11.5.2.9 Parent-child relationships  | Partially Supports  | GoLand exposes parent-child relationships in standard tree components (e.g., Project view, Structure). Grouped items, such as form sections and nested configurations, are visually structured and announced correctly in many cases. Screen reader support is unavailable on Linux and in Remote Development mode.              |
| 11.5.2.10 Text   | Partially Supports  | GoLand exposes most visible text content to assistive technologies on supported platforms. Some dynamic messages may not be accessible. Screen reader support is unavailable on Linux and in Remote Development mode. Please refer to  |

| Criteria                                      | Conformance Level          | Remarks and Explanations  |
|---|----------------------------|---|
|   |                            | https://youtrack.jetbrains.com/issue/IJPL-58546/Screen-readers-d    |
|   |                            | o-not-read-popup-error-messages-when-they-occur                     |
| 11.5.2.11 List of available actions           | Partially Supports         | GoLand exposes available actions for most standard UI elements,     |
|   |                            | including menus and command groups. Screen reader support is        |
|   |                            | unavailable on Linux and in Remote Development mode.                |
| 11.5.2.12 Execution of available actions      | Does Not Support           | GoLand allows action execution via keyboard and mouse, but does     |
|   |                            | not support assistive technologies that programmatically trigger    |
|   |                            | UI actions, such as voice control systems or switch devices.        |
| 11.5.2.13 Tracking of focus and selection     | Partially Supports         | GoLand exposes focus and selection attributes on supported          |
| attributes                                    |                            | platforms. Focus tracking is unavailable on Linux and in Remote     |
|   |                            | Development mode.   |
| 11.5.2.14 Modification of focus and selection | Does Not Support           | GoLand exposes focus location but does not allow assistive          |
| attributes                                    |                            | technologies (such as voice control or automation tools) to         |
|   |                            | programmatically move focus or select attributes.                   |
| 11.5.2.15 Change notification                 | Partially Supports         | GoLand notifies assistive technologies of many standard UI          |
|   |                            | changes. Some dynamic components (e.g., editor popups,              |
|   |                            | tooltips, and background UI updates) may not consistently trigger   |
|   |                            | accessibility events. Screen reader support is unavailable on Linux |
|   |                            | and in Remote Development mode.                                     |
| 11.5.2.16 Modifications of states and         | Partially Supports         | GoLand updates most state and property changes via platform         |
| properties                                    |                            | APIs. Screen reader support is unavailable on Linux and in Remote   |
|   |                            | Development mode.   |
| 11.5.2.17 Modifications of values and text    | Partially Supports         | GoLand notifies assistive technologies of value and text changes in |
|   |                            | most form elements and dialogs. Screen reader support is            |
|   |                            | unavailable on Linux and in Remote Development mode.                |
| 11.6 Documented accessibility usage           | Heading cell – no response | Heading cell – no response required                                 |
|   | required                   |   |
| 11.6.1 User control of accessibility features | Partially Supports         | GoLand does not block OS-level accessibility features and supports  |
|   |                            | high contrast, screen readers, and keyboard navigation. However,    |
|   |                            | Windows Magnifier is not fully supported at the moment, and         |
|   |                            | screen reader support is unavailable on Linux and in Remote         |
|   |                            | Development mode.   |
|   |                            | Please refer to   |

| Criteria  | Conformance Level   | Remarks and Explanations  |
|---|---|---|
|   |   | https://youtrack.jetbrains.com/issue/IJPL-58426/Accessibility-proper-Windows-magnifier-integration  |
| 11.6.2 No disruption of accessibility features                      | Partially Supports  | GoLand supports assistive technologies on Windows and macOS, but screen reader support is not available on Linux or in Remote Development mode. The product does not block or override system accessibility features. |
| 11.7 User preferences   | Supports  | GoLand allows users to configure font size, spacing, themes, and color deficiency support. Preferences persist across sessions and are accessible through the Settings interface.                                     |
| 11.8 Authoring tools  | Heading cell – no response required   | Heading cell – no response required   |
| 11.8.1 Content technology   | Heading cell – no response required   | Heading cell – no response required   |
| 11.8.2 Accessible content creation                                  | Please refer to <u>WCAG 2.x</u> section (If not authoring tool, enter "Not Applicable") | Please refer to information in WCAG 2.x section   |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable  | GoLand performs limited content transformations (e.g., Markdown to HTML/PDF), but does not handle or preserve accessibility metadata in those outputs.  |
| 11.8.4 Repair assistance  | Does Not Support  | GoLand does not provide assistance or suggestions for correcting accessibility issues in authored content. Accessibility validation must be performed externally.   |
| 11.8.5 Templates  | Does Not Support  | GoLand provides templates for code and markup, but these do not include accessibility-supporting elements or prompts by default.  |

# **Clause 12: Documentation and Support Services**

| Criteria                   | Conformance Level          | Remarks and Explanations            |
|----------------------------|----------------------------|-------------------------------------|
| 12.1 Product documentation | Heading cell – no response | Heading cell – no response required |
|                            | required                   |                                     |

| Criteria  | Conformance Level                   | Remarks and Explanations   |
|---|-------------------------------------|--|
| 12.1.1 Accessibility and compatibility features | Supports                            | GoLand provides a dedicated accessibility help page:             |
|   |                                     | https://www.jetbrains.com/help/goland/accessibility.html         |
| 12.1.2 Accessible documentation                 | Please refer to WCAG 2.x section    | Please refer to information in WCAG 2.x section                  |
| 12.2 Support Services                           | Heading cell – no response required | Heading cell – no response required                              |
| 12.2.2 Information on accessibility and         | Supports                            | GoLand provides a dedicated accessibility help page:             |
| compatibility features                          |                                     | https://www.jetbrains.com/help/goland/accessibility.html         |
| 12.2.3 Effective communication                  | Supports                            | JetBrains support is provided via accessible text-based channels |
|   |                                     | (email and web). Communication does not rely on speech,          |
|   |                                     | hearing, or visual input.  |
| 12.2.4 Accessible documentation                 | Please refer to WCAG 2.x section    | Please refer to information in WCAG 2.x section                  |

#### **Clause 13: ICT Providing Relay or Emergency Service Access**

Notes: GoLand does not provide emergency or relay service access.

### **Legal Disclaimer (Company)**

This Accessibility Conformance Report is provided for informational purposes only and reflects the state of GoLand 2025.1 as of May 2025. JetBrains reserves the right to revise this document at any time, without prior notice. JetBrains makes no warranties, express or implied, regarding the accuracy or completeness of this document or the product's conformance at any future date. JetBrains shall not be held liable for any consequences arising from the use of this document, and no contractual obligations are created, assumed, or intended through its content.